


STUDY

INITIAL COST OF CONSTRUCTION MULTI-RESIDENTIAL STRUCTURES

Prepared by Walter G. M. Schneider III, Ph.D., P.E., CBO, MCP, CFO

BALANCED DESIGN
COMPARTMENTATION



Introduction

For the Washington, District of Columbia August 2020 cost comparison it was decided to use federal prevailing wages based on the local construction climate. The reader is referred to the *Study, initial Cost of Construction, Multi-Residential Structures, October 2017* original report for a complete discussion on study design and methodology. This study was again visited in May 2021 after determining that the insurance industry has recognized a relative risk differential between wood construction materials and the other materials used in this study. This differential in risk is reflected in the builder risk insurance costs. The extent of the current re-visit was to adjust the builder risk costs associated with the construction project. The builders risk insurance costs have been applied based on recognized building construction type, and June 2022 insurance rates.


Study Results and Discussion

The results of the construction cost study for each geographic location are presented in the following tables. The relative cost presented is a percentage of the conventional wood frame system.

Washington, District of Columbia

Washington, District of Columbia - August 2020 / Insurance 2022					
Federal Prevailing Wage					
Building System	Insurance Cost	Construction Cost	Cost/Sq Ft	Relative Cost	
CONVENTIONAL WOOD FRAMING	\$ 178,735	\$ 23,971,557	\$ 248.15	100	
LIGHT GAGE STEEL FRAMING	\$ 98,435	\$ 23,974,173	\$ 248.18	100	
MASONRY & PRECAST	\$ 72,559	\$ 23,365,575	\$ 241.88	97	
PRECAST CONSTRUCTION	\$ 86,201	\$ 27,758,519	\$ 287.36	116	
ICF WALLS & PRECAST PLANK	\$ 105,654	\$ 25,732,422	\$ 266.38	107	
ICF WALLS & ICF CONCRETE FLOOR ALTERNATE	\$ 108,385	\$ 26,397,567	\$ 273.27	110	

The least expensive system is the load bearing masonry wall system with precast concrete plank floor system. The relative cost of the most expensive framing system, the precast concrete wall and precast floor system is 18.8 percent higher. The conventional light weight wood framing system is an increased cost of 2.6 percent over the load bearing masonry wall system with precast concrete plank floor system. This is also 2.6 percent lower than the light gage steel framing system, with respect to the load bearing masonry wall system with precast concrete plank floor system.



Study Conclusions and Recommendations

Based on the construction cost estimates prepared by Mr. Maholtz, the cost associated with using a compartmentalized construction method utilizing a concrete based construction material was very favorable with light weight conventional wood frame construction cost and light gage steel framing construction cost. All of the concrete based construction systems were within a 16 percent increase over the light weight conventional wood frame construction system. In many cases this amount can be partially offset by the contingency budget typically recommended for the owner to carry for unanticipated expenditures during the project.

The minimal increase in construction cost can also help pay for itself over the life of the structure. Materials like concrete masonry, precast concrete, and cast-in-place concrete have many other advantages beyond their inherent fire performance including resistance to mold growth, resistance to damage from vandalism, and minimal damage caused by water and fire in the event of a fire in the building. In many cases, with this type of construction the damage outside of the fire compartment is minimal. This provides for reduced cleanup costs and quicker reoccupation of the structure.


Based on the results of this study, we recommend that a similar study be undertaken to evaluate use of similar construction techniques and their associated construction cost impact on other typical building types like, schools, retail establishments, and commercial office buildings.

STUDY


INITIAL COST OF CONSTRUCTION

MULTI-RESIDENTIAL STRUCTURES

BALANCED DESIGN COMPARTMENTATION



**Mid-Atlantic
Masonry Association**
813 Chestnut Street
Lebanon, PA 17042
717.273.8970 • Fax: 717.272.5147
jboyer@midatlanticmasonryassociation.com
www.midatlanticmasonryassociation.com



FOR INFORMATION CONTACT:

Pennsylvania Concrete Masonry Association • PACMA.COM

Email: jboyer@pacma.com • Phone: 717.279.6346

813 Chestnut Street • Lebanon, PA 17042

This study may not be reproduced in any form or by any means without prior written permission of the owner.